

[Web](#) [Images](#) [Videos](#) [Maps](#) [News](#) [Shopping](#) [Gmail](#) [more](#)
[Web History](#) | [Search settings](#) | [Sign in](#)


[Web](#) [Show options...](#)
Results 1 - 10 of about 65 for **projection "matrix dim**

Genomics : Direct functional assessment of the composite phenotype ...

by A Conesa - 2006 - Cited by 1 - Related articles - All 5 versions

Multivariate **projection** methods are used to obtain new correlated variables and R is the residual **matrix**. **Dimension** reduction is possible when there exists a [20] P. Mielke Jr and K. Berry, Permutation methods: a **distance** function ... **mutation** status, transcriptional effects, and patient survival, Proc. ...
linkinghub.elsevier.com/retrieve/pii/S0885754308001262

emen

Aug 10, 2009 ... ENIGMA (Tara Virango) - native of Bangladesh, **mutated** by the Virus, had some sort of connection to the Buddhist goddess Tara ...
www.marvunapp.com/master/emen.htm - [Cached](#)

Proceedings of the 3rd World Congress on Intelligent Control and ...

11-03 A Modified **Mutation** Operator and Mathematical Analysis of Its Efficiency 2A-7 1

The Application of **Projection** Pursuit Learning in Ship Motion Extreme. Short Time Prediction 3A-68 Fuuy Control on Generalized **Distance** and Its Application

Observation **Matrix Dimension**. ChuWuan Yu,Xiaohui Cheng ...

ieeexplore.ieee.org/iel5/6941/18700/00662414.pdf

Proceedings of the 3rd world congress on intelligent control and ...

by C Hefte:

11-03 A Modified **Mutation** Operator and Mathematical Analysis of Its Efficiency 2A-7 1

The Application of **Projection** Pursuit Learning in Ship Motion Extreme 3A-68 Fuzzy Control on Generalized **Distance** and Its Application Observation **Matrix Dimension**.

Chumuan Yu,Xiaohui Cheng ...

ieeexplore.ieee.org/iel5/6941/18700/00663014.pdf

[Show more results from ieeexplore.ieee.org](#)

[PDF] **A FLEXIBLE DECODER AND PERFORMANCE EVALUATION FOR ARRAY-STRUCT**

File Format: PDF/Adobe Acrobat - [View as HTML](#)

by ASL CODES - Related articles

In addition, Tanner derived a lower bound on the minimum **distance** of **Projection**-geometry (PG) codes [3, 4]. In this section, we describe the EG code. **mutations**). 2. Set one of the empty S entries to a randomly generated nature, two codes with the same S-matrix **dimension** and the same girth can ...
spiral.ece.cmu.edu/8080/pub-spiral/pubfile/sungh_diss_108.pdf

Genetic analysis - Patent Application 20090307179

by B Colby - 2009

14 depicts a schematic of the 2 part analysis for Offspring **Projection** through the genotype **matrix dimension** (which shows how genetic variants and ...

www.freepatentsonline.com/y2009/0307179.html

[PDF] **Multivariate NIR Studies of Seed-Water Interaction in Scots Pine ...**

File Format: PDF/Adobe Acrobat - [Quick View](#)

by T Lestander - 2003 - Related articles

the **matrix** (**dimension** J × K) containing the J spectra of a test set, xmcsl is a row **mutations** and rate of crossover among selected chromosomes. Seed size influenced

the measurement **distance** as single seeds were placed Megavariate Data Analysis using **Projection Methods** (PCA and PLS). Umetrics AB, ...
diss-epsilon.slu.se:8080/archive/00000371/04/talesphd.pdf

[PDF] 130 AN06 Abstracts

File Format: PDF/Adobe Acrobat

mutation entropy rates are equal for ergodic finite-alphabet information sources and that the same holds quantifies the antigenic **distance** between the virus and the existing antibodies. David Swigon In this talk we show that several seemingly **projection-** linear to the **matrix dimension**. Xiaoye Li ...
www.siam.org/meetings/an06/AN06abstracts.pdf

[PDF] Iris-based biometric Cryptosystems bookmarks

File Format: PDF/Adobe Acrobat - View as HTML

by G Rathgeb

Considering such critical issues the **marriage** of biometric and metrics, for example, the Hamming **distance**. This could be easily done by just bitwise ...
wavelab.at/papers/Rathgeb08a.pdf

B(A)MC abstracts

The solution of the problem is obtained by the **projection** method. distribution of eigenvalues in the limit of large **matrix dimension**. tension T and are either confined between plates separated by a **distance** D or are supported Using the observed temperature **record** and a variety of >simulations we ...
msp.warwick.ac.uk/~cpr/bamc_abstracts.html - Cached

1 2 3 4 5 Next

projection "matrix dimension" marriage mutation distance record

[Search within results](#) - [Language Tools](#) - [Search Help](#) - [Dissatisfied? Help us im](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [Private](#)

Web Images Videos Maps News Shopping Gmail more ▾

Web History | Search settings | Sign in

Google

projection "matrix dimension" marriage mutation distance record

Web Show options...

Results 11 - 20 of about 65 for projection "matrix dim

Artificial Intelligence and Soft Computing Behavioral and ...

The most common operators used in GA are crossover and **mutation**. Besides representing **distance** and **geographical relationship among objects**, ...
www.scribd.com/.../Artificial-Intelligence-and-Soft-Computing-Behavioral-and-Cognitive-Modeling-of-the-Human-Brain978698493 - [Cached](#)

Annual Reports in Computational Chemistry Vol 1

... a computational time proportional to the cube of the **matrix dimension**. In addition to **distance** dependent pair preferences, they also included a **H. Marriage**, D. P. Lane, P. Taylor, P. M. Fischer and M. D. Walkinshaw, ... **Activating mutations in the epidermal growth factor receptor underlying** ...
www.scribd.com/.../Annual-Reports-in-Computational-Chemistry-Vol-1 - [Cached](#)

Show more results from www.scribd.com

Genetic analysis - Patent application - methods for generating ...

14 depicts a schematic of the 2 part analysis for Offspring **Projection** through the mutational event as the **mutation rate** is very low (of the order of 10.sup. ... increases with the **distance** between them, without being bound by theory, the genotype **matrix dimension** (which shows how genetic variants and ...
www.faqs.org/patents/app/20090299645 - [Cached](#)

[PDF] Ackermann Marit, Beyer Andreas: Family-vestu analysis of genome ...

File Format: PDF/Adobe Acrobat

processes and the computation of discrepancy and **distance** criteria. where f_k is the number of **records** that present the k th category of the external ...
www.agrocampus-ouest.fr/math/useR-2009/.../book_of_abstracts.pdf

[PDF] Amber 8 Users' Manual

File Format: PDF/Adobe Acrobat

nucleic acids and proteins using a **distance**-dependent dielectric, **projection** and this makes it difficult for users to perceive changes in the depth of a structure. It can be used to do residue **mutation**. For example, if you Be aware, **matrix dimension** will be of the order of $N \times M$ for ...
ambermd.org/doc8/amber8.pdf - [Similar](#)

(WO/2009/117122) GENETIC ANALYSIS

14 depicts a schematic of the 2 part analysis for Offspring **Projection** the primary dimension being the phenotype **matrix dimension** (which shows how ...
www.wipo.int/pctdb/ja/ia.jsp?ia=US2009%2F001733&IA..DESC

[PDF] Computational Complexity: A Modern Approach

File Format: PDF/Adobe Acrobat

by S Arora - Cited by 72 - Related articles

mutation is a potential perfect matching, and the corresponding monomial This reduces the **matrix dimension** to $(n-2) \times (n-2)$ Figure 14.3: **Projection** can merge but not add connected components. Definition 14.11 The third inequality implies that for every norm, if we define the **distance** ...
www.cs.duke.edu/~reif/courses/complexities/books/.../ABbook.pdf - [Similar](#)

[PDF] Nuclear Medicine Resources Manual

File Format: PDF/Adobe Acrobat

One particular IAEA project that deserves mention is the **Distance** back-**projection**, processing can be relatively slow. The total time of Because a whole body image covers about 200 cm, the **matrix dimension** along and a small methylated full **mutation**. The EcoRI/EagI protocol using the ...

www-pub.iaea.org/MTCD/publications/PDF/Pub1198_web.pdf - [Similar](#)
ISMB 2001 Poster Abstracts

Six variola virus isolates were sequenced by using long-**distance**, A multivariate **projection** method, PLS, is used for relating sequence similarity from the probabilistic matrix until the **matrix dimension** reduces to one in **Allele records** now include information origin and the molecular **mutation** ...

ismb01.cbs.dtu.dk/poster_abstracts.html - [Similar](#)
[PDF] Amit Konar Computational Intelligence Principles, Techniques and ...

File Format: PDF/Adobe Acrobat

by A Konar - Cited by 20 - Related articles - All 7 versions

the concept of **projection** and cylindrical extension have been outlined in where r_i is the **Euclidean distance** between a given input vector X_i and a ...

people.inf.elte.hu/.../computational-intelligence-principles-techniques-and-applications.9783540208983.27506.pdf

[Previous](#) [1](#) [2](#) [3](#) [4](#) [Next](#)

projection "matrix dimension" marriage mutation distance rec

[Search within results](#) - [Language Tools](#) - [Search Help](#) - [Dissatisfied? Help us im](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [Priva](#)

Web Images Videos Maps News Shopping Gmail more ▾

Web History | Search settings | Sign in

Google

projection "matrix dimension" marriage mutation distance record

Web Show options...

Results 21 - 30 of about 65 for projection "matrix dim

[PDF] Una metodologia de primeros principios, basada en la teoria del ...

File Format: PDF/Adobe Acrobat

by AC Barrigon - Related articles - All 7 versions

the opening of the path towards the **marriage** between nano-electronics and bio-organic chemistry. typically, the **matrix dimension** is of the order of 105, or even larger. for this atom as a function of the **distance** to the nucleus. In particular, polynomial expansions, **projection** in Krylov ...
 nano-bio.ehu.es/files/acaastro_phd.pdf · Similar

[PDF] Untitled

File Format: PDF/Adobe Acrobat

projection step. Its basic functionality is shown in Figure 1 and it reaches the exit **distance**. A critical issue in CUDA 1.1 is Size of **matrix dimension**. Execution time [s]. Biconjugate gradient. 1 thread. 1 thread MKL. 1 thread fused **mutation** (a popular unimodular transformation) and tile size ...
 uvka.ubka.uni-karlsruhe.de/shop/download/1000009529

[PDF] Eric Blair January 15, 2009

File Format: PDF/Adobe Acrobat

Mr. Warhol felt that the repetition and **mutation** of familiar images disadvantage in the **marriage** market", and of course, the press eats it up. ...
 fluff.info/blog/fluff_and_info.pdf

#2002AFinEcon 12/ 4 241- 251 J#Hedging interest rate risk with ...

File Format: Unrecognized

#2002ASAProJSM 963- 968 P#Penalized chi square **distance** function in survey
 #2002ASAProJSM 2034-2038 P#**Projection** pursuit indices for exploratory ...
 lib.jasri.res.in/CurrentIndexStatistics/MAC/FILES/CIS2002.V11

0081214 ITR: Intelligent Storage Systems for Object-Oriented ...

Performers could rehearse, perform and **record** together over the Internet, such as education and **distance** learning, health care and telemedicine, ...
 www.nsf.gov/.../afSearch.do;...

[XLS] "Award Number" "Title" "NSF Organization" "Program(s)" "Start Date ...

File Format: Microsoft Excel

Brantley has a demonstrated track **record** studying the effects of organic the **matrix dimension** because original zeroes fill-in during factorization. ...
 www.nsf.gov/.../afSearch.do;...

Show more results from www.nsf.gov

[PDF] MEHANIZACIJA [UMARSTVA 2001 2004 Special Issue of the Journal Nova ...

File Format: PDF/Adobe Acrobat

where $L(m)$ is the maximum yarding **distance**. Even though the road construction cost is the VIII region, the **matrix dimension** will corres- ...
 www.sumfak.hr/~rms/v26/special/meh-sum-2001-04_EN.pdf

[PDF] PROCEEDINGS OF THE FOURTH INTERNATIONAL CONFERENCE ON ...

File Format: PDF/Adobe Acrobat

by N Kolchanov

presence of just 1 or 2 **mutations** drastically change the relative ... The signal **distance** between the original pattern (1) and the two $r(X)$ be the vector, which joins any non-diagonal point X with its **projection** onto Δ and let $v(X) = \dots$ $\|f_{ij}\|$ is the **matrix dimension** $J_j \times N$, where each element f_{ij} is a ...
www.bionet.nsc.ru/meeting/bgrs2004/tom2.pdf - Similar

0.8719 eliza clark 1.0000 msu 0.0016 undead cyclop 1.0000 metric ...
 ... association 0.1055 ruin 1.0000 dimetric **projection** arcade game 0.9502 sir 0.9998
 fokkerplanck equation 0.0403 **matrix dimension** 0.9282 tsar 0.9725 ...
nplab.kaist.ac.kr/~jwchoi/coreonto.../category_parsed.../T03_4.txt term

[PDF] Artificial Intelligence and Soft Computing: Behavioral and ...

File Format: PDF/Adobe Acrobat

The most common operators used in GA are crossover and **mutation**. The relevance, such as place A is north to place B and at a **distance** of $\frac{1}{2}$ Km. ...
www.ru.lv/.../CRC%20Press%20-%202000%20-%20Artificial%20Intelligence%20and%20Soft%20Computing...

Previous 1 2 3 4 Next

projection "matrix dimension" marriage mutation distance rec

[Search within results](#) - [Language Tools](#) - [Search Help](#) - [Dissatisfied? Help us im](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [Private](#)

[Web](#) [Images](#) [Videos](#) [Maps](#) [News](#) [Shopping](#) [Gmail](#) [more](#)
[Web History](#) | [Search settings](#) | [Sign in](#)


[Web](#) [Show options...](#)

Results 31 - 35 of 35 for projection "matrix dim

[\[PDF\] Paradigms for Biologically-Inspired Autonomic Networks and Services](#)

File Format: PDF/Adobe Acrobat

 a practical point of view, it is sufficient to **record** for every bit the last iteration it was flipped.

 reaction networks that evolve by gene duplication and **mutations**. **Distance**

 adaptive (dad) broadcasting for ad hoc networks. In Proc. of **matrix dimension**)

theoretical and practical results fit ...

www.bionets.eu/docs/BIONETS_book.pdf - [Similar](#)
[Applied.Numerical.Methods.Using.Matlab](#)

 ... violation of **matrix dimension** compatibility, as illustrated in Section 1.1.7. The

 solution (2.1.7) can be viewed as the **projection** of an arbitrary is described by the

 vertical **distance** to the curve from the data points. No Reproduction Crossover

Mutation Figure 7.8 Yes Termination Flowchart ...

www.docstoc.com/.../AppliedNumericalMethodsUsingMatlab - [Cached](#) - [Similar](#)
[\[PDF\] Microsoft PowerPoint - page-garde-icwit](#)

File Format: PDF/Adobe Acrobat

 la mise à disposition et la consultation à **distance**, de contenus des individus en

 subissant des croisements et des **mutations**. The solution of reducing the **matrix**
dimension remains a costly operation and can't be applied before Fern and Brodely

 2003: Random **projection** for high dimensional data ...

www-inf.univ-sba.dz/icwit/proceedings/proceedings.pdf - [Similar](#)
[\[PDF\] Ruptures et irréversibilités dans les trajectoires. Comment ...](#)

File Format: PDF/Adobe Acrobat

by REL IEF - Related articles - All 12 versions

 On peut penser que, parmi les **mutations** économiques et sociales Nous proposons ici

 une nouvelle **distance** entre les parcours et possibilités d'anticipation et de **projection**

 dans un nouveau rôle fill a number of constraints increasing with the **matrix dimension**

to ensure its positiveness. ...

www.cereq.fr/pdf/relief22.pdf - [Similar](#)
[PREGOVOR U godini 1998. Institut je činio sve - Institut Ruđer ...](#)

 Due to the limitations of the 16-bit compilers, maximum **matrix dimension** It can be

 explained by the separation **distance** of each substituent from a side chain with COOH.

 new **records** of a rare leotialean discomycete in Europe. Since in heterozygous mice for

 the Ikaros **mutation**, a loss of healthy ...

nippur.irb.hr/zvjestaji/1998/GI1998.txt - [Similar](#)

*In order to show you the most relevant results, we have omitted some entries very similar to
If you like, you can repeat the search with the omitted results included.*

[Previous](#) 1 2 3 4

projection "matrix dimension" marriage mutation distance rec

Search within results - Language Tools - Search Help - Dissatisfied? Help us im

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [Priva](#)


[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)
Search: ☐ The ACM Digital Library ☒ The Guide


 Searching within **The Guide** for: projection dimension mutation marriage ([start a new search](#))

Found 11 of 1,408,899

REFINE YOUR SEARCH

Search Results

Related SIGs

Results 1 - 11 of 11

 Sort by [relevance](#)
☒ Refine by Keywords

Discovered Terms

☒ Refine by People

 Names
Institutions
Authors

☒ Refine by Publications

 Publication Year
Publication Names
All Publications
Content Formats
Publishers

☒ Refine by Conferences

 Sponsors
Proceeding Series

ADVANCED SEARCH
☒ [Advanced Search](#)
FEEDBACK
☒ Please provide us with feedback

Found 11 of 1,408,899

☒ Save results to a Binder

- 1 [Entropy and complexity measures for EEG signal classification of sc](#)
Malihe Sabeti, Serajeddin Katebi, Reza Boostani
November 2009 **Artificial Intelligence in Medicine** , Volume 47 Issue 3
Publisher: Elsevier Science Publishers Ltd.

 Additional Information: [full citation](#), [abstract](#), [references](#)
Bibliometrics: Downloads (6 Weeks): n/a, Downloads (12 Months): n/a, Downl

Objective: In this paper, electroencephalogram (EEG) signals of 20 schi matched control participants are analyzed with the objective of classifyi methods: For each case, 20 channels of EEG ...

Keywords: Complexity, EEG classification, Entropy, Features selection,

- 2 [A flexible tolerance genetic algorithm for optimal problems with nonli](#)
Wanfeng Shang, Shengdun Zhao, Yajing Shen
July 2009 **Advanced Engineering Informatics** , Volume 23 Issue 3
Publisher: Elsevier Science Publishers B. V.
Additional Information: [full citation](#), [abstract](#), [references](#)

Bibliometrics: Downloads (6 Weeks): n/a, Downloads (12 Months): n/a, Downl

A hybrid method called a flexible tolerance genetic algorithm (FTGA) is | nonlinear, multimodal and multi-constraint optimization problems. This strategy that organically merges a flexible tolerance ...

- 3 [Domain adaptation with structural correspondence learning](#)
John Blitzer, Ryan McDonald, Fernando Pereira
July 2006 **EMNLP '06: Proceedings of the 2006 Conference on Empirical Processing**
Publisher: Association for Computational Linguistics
Full text available: ☒ Pdf (171.08 KB) Additional Information: [full citation](#), [abstract](#)

Bibliometrics: Downloads (6 Weeks): 1, Downloads (12 Months): 2, Download

Discriminative learning methods are widely used in natural language pro when their training and test data are drawn from the same distribution. confronted with new domains in which labeled ...

- 4 [Algorithms and Architectures of Artificial Intelligence](#)
Enn Tyuguu
June 2007 **Proceeding of the 2007 conference on Algorithms and Architect**

Publisher: IOS Press

Additional Information: [full citation](#), [references](#), [cited by](#)

Bibliometrics: Downloads (6 Weeks): n/a, Downloads (12 Months): n/a, Downl

5 [Reviews](#)

Staff

January 1999 **Computer Music Journal** , Volume 23 Issue 1

Publisher: MIT Press

Additional Information: [full citation](#)

Bibliometrics: Downloads (6 Weeks): n/a, Downloads (12 Months): n/a, Downl

6 [Book review:](#)

Bruce Bennett

June 2007 **Computer Music Journal** , Volume 31 Issue 2

Publisher: MIT Press

Additional Information: [full citation](#), [index terms](#)

Bibliometrics: Downloads (6 Weeks): n/a, Downloads (12 Months): n/a, Downl

7 [Book review:](#)

Jim Phelps

June 2007 **Computer Music Journal** , Volume 31 Issue 2

Publisher: MIT Press

Additional Information: [full citation](#), [index terms](#)

Bibliometrics: Downloads (6 Weeks): n/a, Downloads (12 Months): n/a, Downl

8 [Book review:](#)

James Harley

June 2007 **Computer Music Journal** , Volume 31 Issue 2

Publisher: MIT Press

Additional Information: [full citation](#), [index terms](#)

Bibliometrics: Downloads (6 Weeks): n/a, Downloads (12 Months): n/a, Downl

9 [Review:](#)

Jared Dunne

June 2007 **Computer Music Journal** , Volume 31 Issue 2

Publisher: MIT Press

Additional Information: [full citation](#), [index terms](#)

Bibliometrics: Downloads (6 Weeks): n/a, Downloads (12 Months): n/a, Downl

10 [Book review:](#)

Silvia Mathews

June 2007 **Computer Music Journal** , Volume 31 Issue 2

Publisher: MIT Press

Additional Information: [full citation](#), [index terms](#)

Bibliometrics: Downloads (6 Weeks): n/a, Downloads (12 Months): n/a, Downl

11 [ACM SIGSOFT Software Engineering Notes: Volume 29 Issue 5](#)



September 2004 SIGSOFT Software Engineering Notes

Publisher: ACM

Additional Information: [full citation](#)

Bibliometrics: Downloads (6 Weeks): n/a, Downloads (12 Months): n/a, Downl

The ACM Portal is published by the Association for Computing Machinery. Copyright © 20

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads:  [Adobe Acrobat](#)  [QuickTime](#)  [Windows Media Player](#) 


[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) | [Purchase History](#)

Welcome United States Patent and Trademark Office

Search Results

[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Results for "((projection dimension)-in->metadata)"

Your search matched 3 of 2513242 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by **Relevance in Descending order**.

Join IEEE Now

[Learn More >](#)

Search Options

[View Session History](#)[New Search](#)

Key

IEEE JNL	IEEE Journal or Magazine
IET JNL	IET Journal or Magazine
AIP JNL	AIP Journal
AVS JNL	AVS Journal
IEEE CNF	IEEE Conference Proceeding
IET CNF	IET Conference Proceeding
IEEE STD	IEEE Standard



Indicates open access content

Modify Search

((projection dimension)-in->metadata)

[Search](#)☒ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract[IEEE/ET/AP/AVS](#)[Books](#)[Educational Courses](#)[A](#)

IEEE/IET journals, transactions, letters, magazines, conference proceedings, AIP/standards.

[view selected items](#)[Select All](#) [Deselect All](#)**1. Selective feature extraction via signal decomposition**

Kuansan Wang; Chin-Hui Lee; Bing-Hwang Juang;
[Signal Processing Letters, IEEE](#)
 Volume 4, *issue 1*, Jan. 1997 Page(s):8 - 11
 Digital Object Identifier 10.1109/97.551687

[AbstractPlus](#) | [Full Text: PDF](#)(104 KB) [IEEE JNL](#)
[Rights and Permissions](#)

2. Fast and efficient dimensionality reduction using Str Matrices

Do, T.T.; Lu Gan; Yi Chen; Nam Nguyen; Tran, T.D.;
[Acoustics, Speech and Signal Processing, 2009. ICASSP 2009. IEEE Interna](#)
 19-24 April 2009 Page(s):1821 - 1824
 Digital Object Identifier 10.1109/ICASSP.2009.4959960

[AbstractPlus](#) | [Full Text: PDF](#)(202 KB) [IEEE CNF](#)
[Rights and Permissions](#)

3. On the Performance of Clustering in Hilbert Spaces

Biau, G.; Devroye, L.; Lugosi, G.;
[Information Theory, IEEE Transactions on](#)
 Volume 54, *issue 2*, Feb. 2008 Page(s):781 - 790
 Digital Object Identifier 10.1109/TIT.2007.913516

[AbstractPlus](#) | [Full Text: PDF](#)(261 KB) [IEEE JNL](#)
[Rights and Permissions](#)

[Help](#) [Contact Us](#)

© Copyright 2009




[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) | [Purchase History](#)

Welcome United States Patent and Trademark Office

Search Results

BROWSE

SEARCH

IEEE XPLORE GUIDE

Results for "((projecting dimension)-in->metadata)"

Your search matched 6 of 2513242 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by **Relevance in Descending order**.

Join IEEE Now

Learn More »

» Search Options

[View Session History](#)[New Search](#)

» Key

IEEE JNL	IEEE Journal or Magazine
IET JNL	IET Journal or Magazine
AIP JNL	AIP Journal
AVS JNL	AVS Journal
IEEE CNF	IEEE Conference Proceeding
IET CNF	IET Conference Proceeding
IEEE STD	IEEE Standard



Indicates open access content

Modify Search

((projecting dimension)-in->metadata)

Search

Check to search only within this results set

Display Format: ☒ Citation ☐ Citation & Abstract

IEEE/ET/AIP/AVS

Books

Educational Courses

A

IEEE/ET journals, transactions, letters, magazines, conference proceedings, AIP/standards.

[view selected items](#)[Select All](#) [Deselect All](#)

1. The process of research investigations in artificial int view

Baldwin, D.; Yadav, S.B.;
[Systems, Man and Cybernetics, IEEE Transactions on](#)
 Volume 25, Issue 5, May 1995 Page(s):852 - 861
 Digital Object Identifier 10.1109/21.376497
[AbstractPlus](#) | Full Text: PDF(1096 KB) IEEE JNL
[Rights and Permissions](#)

2. Local convolution in ectomography

Dale, S.M.; Edholm, P.R.;
[Biomedical Engineering, IEEE Transactions on](#)
 Volume 36, Issue 9, Sept. 1989 Page(s):964 - 968
 Digital Object Identifier 10.1109/10.35305
[AbstractPlus](#) | Full Text: PDF(364 KB) IEEE JNL
[Rights and Permissions](#)

3. A dynamical systems model for investigating diversit

Waller, A.A.;
[Frontiers in Education, 2003. FIE 2003. 33rd Annual](#)
 Volume 2, 5-8 Nov. 2003 Page(s):F3D - 1-7 Vol.2
 Digital Object Identifier 10.1109/FIE.2003.1264735
[AbstractPlus](#) | Full Text: PDF(564 KB) IEEE CNF
[Rights and Permissions](#)

4. Matrix organization

Chunhua Tian; Yueting Chai; Shouju Ren; Yi Liu;
[Systems, Man and Cybernetics, 2002 IEEE International Conference on](#)

Volume 3, 6-9 Oct. 2002 Page(s):6 pp. vol.3

[AbstractPlus](#) | [Full Text: PDF\(392 KB\)](#) [IEEE CNF](#)
[Rights and Permissions](#)



5. Informatics for project structuring

Osterlund, J.;

Technology Management : the New International Language, 1991

27-31 Oct. 1991 Page(s):185

Digital Object Identifier 10.1109/PICMET.1991.183610

[AbstractPlus](#) | [Full Text: PDF\(52 KB\)](#) [IEEE CNF](#)
[Rights and Permissions](#)



6. Characterization of helium bubble size and faceting b holography

Snoeck, E.; Majime, J.; Ruault, M. O.; Hylch, M. J.;

Journal of Applied Physics

Volume 100, Issue 2, Jul 2006 Page(s):023519 - 023519-5

Digital Object Identifier 10.1063/1.2216791

[Abstract](#) | [Full Text: PDF\(398 KB\)](#) [AIP JNL](#)

[Help](#) [Contact Us](#)



© Copyright 2006